First Quarter 2018/19 Season. (Source FEEDTEST 01 Sep 18 – 07 Dec 18)

Description	No. of Samples		Crude Protein CP (%)	Dry Matter Digestibility DMD (%)	Metabolisable Energy ME (MJ/kg DM)	Neutral Detergent Fibre NDF (%)	Acid Detergent Fibre ADF (%)
Hay, Legume	82	Mean Range	15.7 1.1 – 25.5	67.0 41.7 – 84.0	9.9 5.6 – 12.8	44.0 28.1 – 76.5	27.7 17.6 – 45.7
Hay, Legume/Grass (Legume dominant)	33	Mean Range	11.9 5.7 – 19.0	64.9 36.0 – 78.7	9.5 4.6 – 11.9	51.0 36.1 – 69.3	29.6 20.6 – 47.6
Hay, Grass/Legume (Grass dominant)	128	Mean Range	12.5 3.8 – 22.9	65.1 39.4 – 77.2	9.6 5.2 – 11.8	55.1 37.0 – 79.7	30.1 20.1 – 48.1
Hay, Grass	145	Mean Range	9.2 1.5 – 24.6	61.2 37.7 – 80.5	8.9 4.9 – 12.2	60.6 32.9 – 80.7	33.6 19.4 – 50.3
Hay, Cereal	798	Mean Range	8.1 2.1 – 18.4	66.0 42.4 – 82.7	9.7 5.7 – 12.6	52.1 36.3 – 78.4	26.7 16.3 – 42.5
Hay, Cereal/Legume	125	Mean Range	10.9 4.6 – 22.2	66.3 49.3 – 80.4	9.8 6.9 – 12.2	52.3 38.6 – 69.7	27.7 18.1 – 38.1
Hay, Cereal/Pasture	65	Mean Range	9.0 3.7 – 20.2	65.7 46.5 – 78.3	9.7 6.4 – 11.8	54.7 41.0 – 69.8	28.2 18.6 – 39.4
Hay Canola	724	Mean Range	14.7 3.7 – 26.0	64.5 29.7 – 84.1	9.5 3.5 – 12.8	42.5 27.2 – 66.4	31.1 15.5 – 52.0

First Quarter 2018/19 Season. (Source FEEDTEST 01 Sep 18 – 07 Dec 18)

Description	No. of Samples		Dry Matter DM (%)	Crude Protein CP (%)	Dry Matter Digestibility DMD (%)	Metabolisable Energy ME (MJ/kg DM)	Neutral Detergent Fibre NDF (%)	Acid Detergent Fibre (%)
Silage, Legume	58	Mean Range	56.9 30.0 – 84.9	19.1 6.4 – 26.4	69.7 50.7 – 84.0	10.5 8.0 – 12.8	40.4 26.2 – 83.7	28.7 15.7 – 67.3
Silage, Legume/Grass (Legume dominant)	<20	Mean Range	Insufficient Data					
Silage, Grass/Legume (Grass dominant)	55	Mean Range	48.3 25.2 – 82.2	14.7 7.9 – 24.1	69.3 41.1 – 82.9	10.5 6.7 – 12.3	49.4 34.8 – 72.4	27.6 19.9 – 45.3
Silage, Grass	158	Mean Range	45.6 13.8 – 93.5	14.3 5.1 – 28.8	69.5 42.3 – 82.3	10.5 6.8 – 12.5	51.2 32.0 – 79.1	27.9 19.2 – 42.2
Silage, Cereal	79	Mean Range	54.0 21.5 – 84.3	12.2 5.6 – 23.5	70.0 50.0 – 81.9	10.6 7.9 – 12.5	47.3 34.3 – 73.1	25.4 17.0 – 53.3

First Quarter 2018/19 Season. (Source FEEDTEST 01 Sep 18 – 07 Dec 18)

Description	No. of samples		Crude Protein CP (%)	Dry Matter Digestibility DMD (%)	Metabolisable Energy ME (MJ/kg DM)	Neutral Detergent Fibre NDF (%)	Acid Detergent Fibre ADF (%)	Water Soluble Carbohydrates WSC (%)
Hay, Barley	206	Mean Range	9.3 3.8 – 17.0	69.4 50.5 – 79.3	10.3 7.1 – 12.0	50.2 39.8 – 68.2	24.6 17.3 – 37.1	25.9 8.6 – 36.8
Hay, Oaten	544	Mean Range	9.0 1.4 – 25.7	68.2 47.7 – 85.2	10.1 6.6 – 13.0	50.8 31.9 – 76.1	25.7 16.1 – 43.0	24.8 3.4 – 40.6
Hay, Triticale	<30	Mean Range	Insufficient Data					
Hay, Wheaten	588	Mean Range	10.4 3.9 – 18.3	67.3 27.9 – 82.4	10.0 3.2 – 12.6	50.8 37.2 – 89.5	25.7 18.2 – 54.7	24.4 2.4 – 41.0

First Quarter 2018/19 Season. (Source FEEDTEST 01 Sep 18 – 07 Dec 18)

Description	No. of Samples		Crude Protein CP (%)	Dry Matter Digestibility DMD (%)	Metabolisable Energy ME (MJ/kg DM)	Neutral Detergent Fibre NDF (%)	Acid Detergent Fibre ADF (%)
Hay, Lucerne	107	Mean Range	19.1 7.4 – 26.4	65.0 42.6 – 76.9	9.6 5.7 – 11.6	43.5 31.5 – 69.5	29.4 20.2 – 50.0
Hay, Clover (unspecified)	41	Mean Range	15.1 7.2 – 20.9	65.7 56.6 – 74.3	9.7 8.1 – 11.2	47.5 32.2 – 70.2	28.1 17.1 – 53.0
Hay, Balansa Clover	Insufficient Samples	Mean Range					
Hay, Medic	Insufficient Samples	Mean Range					
Hay, Vetch	313	Mean Range	19.6 2.4 – 27.3	68.1 27.8 – 83.9	10.1 3.2 – 12.8	44.6 29.7 – 72.4	27.1 17.0 – 47.0